# Preferences Menu and Status Bar

This guide will show you how to navigate the preferences menu and status bar!

Written By: Mosaic Support

Welcome

INTRODUCTION

Navigate the preferences menu and access the status bar and preferences to find:

- Power on/off
- Network
- Canvas
- Printers
- Xray Mode
- Filament Inputs

Step 1 — Access Status Bar

Welcome

⏵ **Start Print**

⇲ **Controls**

⚙ **Settings**

📁 **Files**

🖵 **Printers**

⋯

📶

⬡

🖵

- From Palette's main screen, tap this icon.

Step 2 — Power Menu

📶
Network
Dlink-3E92

⬡
Canvas
Connected

🖵
Printer
Connected

⚠
**Warning**
None

●●●○ ●○○○
Filament
5/8

⋯

⌂

📈

⏻

Powering off Your Palette...

- To access power settings, tap the icon in the right bottom corner.

- To turn off your Palette tap *Shutdown.*

- To turn off your Palette and reboot it, tap *Restart.*

This document was generated on 2022-03-11 10:08:07 PM (MST).

Step 3 — Network

- To connect your Palette to Wifi tap *Network.*

- You can either choose a network from the list, or tap *Add Manually* to add one using an SSID and a password.

- To disconnect from your local Network tap *Turn Off Wifi.*

This document was generated on 2022-03-11 10:08:07 PM (MST).

© 2022 | support.mosaicmfg.com/ | Page 4 of 8

Step 4 — Canvas


- If your Palette is connected to your Canvas account, it will be shown under *Connected to.*

- To Login to Canvas, tap the *Canvas > Log in to Canvas.*

- To remove your Palette from the devices list in Canvas, tap *Unlink > Disconnect from Canvas.*

- Learn more about activating Palette 3 in Canvas.

This document was generated on 2022-03-11 10:08:07 PM (MST).

Step 5 — Printer

- To view the printers that have been connected to your Palette, tap *Printer > Connection Settings*

- To edit the settings of an already existing printer tap either any of the printers in the list. [Learn more about editing printer profiles.](#)

- *Connection Settings:*

  - *Baud Rate:* Indicates how fast your Palette and printer are communicating in number of bits per second. This number can be adjusted or automatically calculated.

  - *Com Port:* This will show if their is a USB connected to your Palette. Tap Rescan to detect if there is one.

  - *Autoconnect:* Tap this to set your Palette to automatically connect to the printer you have selected.

  - *Connect:* Connect your printer and Palette.

This document was generated on 2022-03-11 10:08:07 PM (MST).

Step 6 — Warning

- If there are any Warnings they will be displayed here.

 - I.e. *Overheat:* Pause the print and allow Palette to cool down to prevent overheating.

Step 7 — Xray Mode

- Tap this icon to access *Xray Mode*. This allows you to see the live status of all Palette components. [Learn](#)

This document was generated on 2022-03-11 10:08:07 PM (MST).

[more about how to use X-Ray Mode.](#)

Step 8 — Filament Inputs

- *Filament Inputs:* Allows you to see which inputs are loaded or empty.
  - Circles that are solid means that the inputs are loaded.
  - Blank circles are inputs that are empty.

If you have any additional questions, please send us a message at support@mosaicmfg.com.

This document was generated on 2022-03-11 10:08:07 PM (MST).